

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS ✓
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

6/14/01

DIAPER GENIE CUTTER CAP:

- 1) CHANGE ANGLE O.V. SNAPS
- 2) OPEN KEY OPENINGS IN DIRECTION OF MOVEMENT
- 3) MOVE SNAPS TO OTHER SIDE
- 4) PART ADDED W/ RELEASE & NEW BLADE SIDE

SLA MODELS : HANDLE

BLADE SIDE (A)

BLADE SIDE (D)

COSMETIC CAP

Redacted

NEXT GENERATION: UNIFIED

MECHANISMS:

1) FOOT PEDAL

2) DOOR CUT

3) SELF TWIST - ??? - BATTERIES TO TWIST??

NEED MODEL TO UNIFY

AESTHETICS:

GET RESULTS FROM JANE

REVIEW DATA & MEET AGAIN

Redacted

11/4/02

PARALLEL DESIGN

RESERVOIR UNIT : * (REVIEW W/ PATENT ATTORNEY)

Redacted

a)

w.

1

Redacted

9) AUTO TWIST ADAPTOR - ENSURE THE SPIN RETURNS TO THE
BOTTOM.

5/15/03

PARALLEL:

JOHN - MOTOR SOURCE

• OPTO

• TORQUE ON MOTOR

SINGLE MOTOR - TWO DIRECTIONAL DRIVE

- FORWARD = DRIVE TWIST

- REVERSE = DRIVE PLUNGE

RICH

- OPTO SENSOR FOR PLUNGE (FIND OPT COSTS)

RICH

- PARTIAL ACCESS FROM THE OUTSIDE COVER OF THE LID (HINGE SIDE)

- WORK ON CHUTE OR FINGERS / CLIPS,

Redacted